

REMARKS**Amendments**

Claims 1, 7, 11, 16-18, 20, 31, 33, 38-40 and 42-44 are amended herein. Claims 3-4, 12, 34 and 41 are cancelled.

Examiner Interview Summary

In a telephonic conversation between Examiner Horace Flournoy on September 22, 2006, and the below-signed attorney, Andrew C. Walseth, the Examiner and Applicant's Representative discussed the Final Office Action of July 17, 2006, the subject matter disclosed by the Present Application, the pending claims of the Present Application. The Examiner and Applicant's Representative did not reach an agreement on the pending claims or what was disclosed and taught by cited references.

Applicant believes the foregoing interview summary accurately reflects the substance and scope of the interview and requests notification if the Examiner disagrees with the accuracy or completeness of the interview summary.

Claim Rejections Under 35 U.S.C. § 102

Claims 1-34 and 37-44 were rejected under 35 U.S.C. § 102(b) as being anticipated by Sekine (U.S. Patent No. 5,896,398) with Microsoft Computer Dictionary (MSCD, 5th edition) offered as extrinsic evidence. Applicant respectfully traverses this rejection and submits that claims 1-35 and 37-44 are allowable for at least the following reasons.

The Examiner specifically stated that Sekine disclosed "[a] *method of operating a non-volatile memory* [Sekine discloses in column 1, line 13, 'A flash memory is a non-volatile IC memory ...'] *device driver* [The MSCD defines 'device driver' on page 155 as 'a software component that permits a computer system to communicate with a device...' Sekine teaches a device driver, in column 7, lines 26-30.] *comprising: counting a number of access cycles to a non-volatile memory; [disclosed e.g. in column 4, lines 42-45] and halting execution access to the non-volatile memory at a selected count.* [column 7, lines 19-21, '...when the writing test is repeated until the predetermined maximum number of times, the process terminates and proceeds to the next test.' Also see column 7, lines 35-40.]"

Applicant respectfully continues to disagree and maintains that Sekine teaches a Flash memory test system that tests Flash memory devices by writing data to the memory device being tested and reading it back to find defective memory elements in the arrays. In doing so, Sekine reads back the test data written into the memory device, unlike the pending claims of the Present Application; and writes this test data not a predetermined number of times, as maintained by the Examiner, but only until the test data written into the memory device reads back correctly. After successfully reading back the correct test data, the Flash memory test system of Sekine, moves on to the next test or memory address to be tested. The Flash memory test system of Sekine only fails the address location if a maximum number of write attempts to the address without a correct read back of the test data has been exceeded; if a successful write occurs, the Flash memory test system of Sekine never reaches the maximum number of write attempts while testing a given location. Applicant thus maintains that this is not counting a number of write and/or erase access cycles without regards to a success or failure of the write and/or erase access cycles to a non-volatile memory and halting execution at a selected count, but writing and reading test data to an address location until a successful data write occurs, or failure occurs.

Sekine states at Column 7, Lines 6-25, "The fail analysis memory 18 gives a write enable inhibit signal /WE to the wave formatter 14 for the address of the MUT 5 whose stored data agrees with the expected data, thereby prohibiting the system from repeating the write operation for the same address any further. *The write operation is repeated for the remaining addresses whose data does not agree with the expected data until the stored data agrees with the expected data or until the predetermined maximum numbers of write operation have been performed.* During this repeated write and read process, in case where all of the addresses attain PASS (match) results, the process terminates by sending an MF (match flag) signal from the fail analysis memory 18 to the pattern generator 13. Alternatively, when the writing test is repeated until the predetermined maximum number of times, the process terminates and proceeds to the next test. The fail analysis memory 18 stores the results of the data writing test to be used in the fail analysis stage of the MUT 5." {Emphasis Added}

Applicant therefore continues to respectfully maintains that Sekine teaches a Flash memory test system that tests Flash memory devices after they have been manufactured by writing data to the Flash memory device(s) being tested and reading it back to find defective memory elements in the arrays and not a method of operating a non-volatile memory device

driver comprising counting a number of access cycles to a non-volatile memory and halting execution at a selected count. Specifically, Applicant respectfully maintains that Sekine, Column 4, Lines 42-45 and Column 7, Lines 19-21 does not teach or disclose counting a number of access cycles to a non-volatile memory without reading a state of any memory cell of the non-volatile memory device altered by the access cycles and halting access to the non-volatile memory at a selected count, but counting the number of write operations required for a successful data write or data write failure (when a maximum number of repetitions is reached) at a specified address of the flash memory. After which the flash memory test system does not halt, but moves on to the next test pattern or address. As such, Applicant respectfully maintains that Sekine does not teach or disclose counting to a selected count value without reading a state of any memory cell of the memory altered by the access cycles or without regard to the success or failure of the access operations, but counting the number of write and read accesses that occur until write failure is determined, if a successful write occurs the test at that location is complete. Applicant also maintains that Sekine does not teach or disclose halting access to the non-volatile memory at a selected count value, but moving to next test, test pattern or memory address upon the occurrence of a successful write or the occurrence of the number of attempts that determine a write failure. (*See*, Sekine, Figure 3; Column 7, Lines 15-39; Column 7, Line 58 to Column 8, Line 29; and Column 4, Lines 41-45.)

Further, Applicant has carefully reviewed the reference Sekine and has found no mention of the Flash memory test system removing power from the Flash memory under test or executing a power loss recovery operation on the Flash memory device under test contrary to the Examiner's assertions. As such the Applicant continues to respectfully maintain that Sekine does not disclose or teach removing power from the Flash memory under test or executing a power loss recovery operation on the Flash memory device under test.

Applicant therefore, as outlined above, respectfully submits that Sekine fails to teach or disclose a method of counting the number of write and/or erase accesses to a Flash memory device without reading a state of any memory cell of the Flash memory device altered by the write and/or erase accesses and halting when a selected number of accesses is reached. As such, Sekine fails to teach or disclose all elements of Applicant's claims.

Applicant's claim 1, as amended, recites "[a] method of operating a non-volatile memory device driver comprising: counting a number of write and/or erase access cycles to a non-volatile

memory without regard to a failure of the write and/or erase access cycle; and halting access to the non-volatile memory at a selected count.” As detailed above, Applicant submits that Sekine fails to teach or disclose such a method of operating a non-volatile memory device driver that counts the number of write and/or erase access cycles to a non-volatile memory without regard to a failure of the write and/or erase access cycles and halts access to the non-volatile memory at a selected count. As such, Sekine fails to teach or disclose all elements of independent claim 1.

Applicant’s claim 11, as amended, recites “[a] method of operating a system comprising: counting a number of write and/or erase access operations to a Flash memory device coupled to a host without regard to a failure of the write and/or erase access operations; and stopping access execution to the Flash memory at a selected number of access operations.” As detailed above, Applicant submits that Sekine fails to teach or disclose such a method of operating a system to count the number of write and/or erase access operations to a Flash memory device coupled to a host without regard to a failure of the write and/or erase access operations, and stop access execution to the Flash memory at a selected number of access operations. As such, Sekine fails to teach or disclose all elements of independent claim 11.

Applicant’s claim 20, as amended, recites “[a] method of testing a Flash memory comprising: counting a number of access operations to a Flash memory for a Flash command without regard to a failure of altering a state of any memory cell of the Flash memory altered by the access operations; interrupting execution of the Flash command at a selected halt count of access operations, halting access to the Flash memory; and executing a power loss recovery cycle to test power loss recovery at the selected halt count.” As detailed above, Applicant submits that Sekine fails to teach or disclose such a method of testing a Flash memory. As such, Sekine fails to teach or disclose all elements of independent claim 20.

Applicant’s claim 31, as amended, recites “[a] method of profiling a Flash command comprising: counting a number of access operations to a Flash memory during execution of a Flash command without regard to a success or failure of the access operations to create an access operation profile for the Flash command; and comparing the access operation profile of two or more Flash commands.” As detailed above, Applicant submits that Sekine fails to teach or disclose such a method of profiling a Flash command. As such, Sekine fails to teach or disclose all elements of independent claim 31.

Applicant's claim 33, as amended, recites "[a] system comprising: at least one Flash memory device; and a host coupled to the at least one Flash memory device, wherein the host is adapted to count a number of write and/or erase access operations to the at least one Flash memory device during a Flash command without regard to a success or failure of the write and/or erase access operations and halt execution of the Flash command, stopping access to the Flash memory device at a selected count of access operations." As detailed above, Applicant submits that Sekine fails to teach or disclose such a system wherein the host is adapted to count a number of write and/or erase access operations to the at least one Flash memory device during a Flash command without regard to a success or failure of the write and/or erase access operations and halt execution of the Flash command, stopping access to the Flash memory device at a selected count of access operations. As such, Sekine fails to teach or disclose all elements of independent claim 33.

Applicant's claim 40, as amended, recites "[a] machine-usable medium, the machine-usable medium containing a software routine for causing a processor to execute a method, wherein the method comprises: counting a number of write and/or erase access cycles to a Flash memory without reading any non-volatile memory cells written or erased by the write and/or erase access cycles; and halting execution at a selected count of write and/or erase access cycles, halting access to the Flash memory." As detailed above, Applicant submits that Sekine fails to teach or disclose such a machine-usable medium having a method that counts a number of write and/or erase access cycles to a Flash memory without reading any non-volatile memory cells written or erased by the write and/or erase access cycles and halts access to the Flash memory at a selected count. As such, Sekine fails to teach or disclose all elements of independent claim 40.

Applicant's claim 43, as amended, recites "[a] system comprising: at least one Flash memory device; and a host coupled to the at least one Flash memory device, wherein the host comprises a means for counting a number of write and/or erase access cycles to the at least one Flash memory device during execution of a Flash command without regard to a success or failure of the write and/or erase access cycles and comprises a means for halting execution of the Flash command on the at least one Flash memory device in response to the count of the access cycle counting means, stopping access to the Flash memory device." As detailed above, Applicant submits that Sekine fails to teach or disclose such a system wherein the host comprises a means for counting the number of write and/or erase access cycles to the at least one Flash

memory device during execution of a Flash command without regard to a success or failure of the write and/or erase access cycles and comprises a means for halting execution of the Flash command on the at least one Flash memory device in response to the count of the access cycle counting means. As such, Sekine fails to teach or disclose all elements of independent claim 43.

Applicant respectfully contends that claims 1, 11, 20, 31, 33, 40 and 43 as pending has been shown to be patentably distinct from the cited reference. As claims 2-10, 12-19, 21-30, 32, 34-35, 37-39, 41-42, and 44 depend from and further define claims 1, 11, 20, 31, 33, 40 and 43, respectively, they are also considered to be in condition for allowance. Accordingly, Applicant respectfully requests reconsideration and withdrawal of the rejection under 35 U.S.C. § 102(b) and allowance of claims 1-35 and 37-44.

Claim Rejections Under 35 U.S.C. § 103

Claims 35 and 36 were rejected under 35 U.S.C. § 103(a) as being unpatentable over Sekine (U.S. Patent No. 5,896,398) in view of Kim (U.S. Published Application No. 2003/0075609 A1). Applicant respectfully traverses this rejection and submits that claims 35 and 36 are allowable for the following reasons.

Applicant continues to respectfully maintain, as stated above, that Sekine fails to teach or suggest all elements of claim 33, from which claims 35 and 36 depend from. As such, Applicant respectfully maintains that Sekine also fails to teach or suggest all elements of claim 33. In addition, Applicant continues to maintain that Kim discloses a memory card having an improved transmission speed and that memory cards include SMC, MMC and Memory Stick interface designs and can include NAND and NOR flash memory, but does not teach or disclose a method of counting the number of accesses to a Flash memory device without regard to a success or failure of the write and/or erase access operations and halting when a selected number of accesses is reached. Applicant further respectfully maintains that Kim fails to teach or disclose a Flash memory device having one of a PCMCIA-ATA, a Compact Flash (CF), a USB Flash, and a Secure Digital Memory Card compatible interface. *See*, Kim, Abstract and Paragraphs [0005], [0019], and [0023]. Applicant therefore respectfully submits that combining the elements of Sekine with Kim fails to teach or suggest all elements of independent claim 33, and thus also fails to teach or suggest all elements of dependent claims 35 and 36, either alone or in combination.

Applicant respectfully contends that claim 33 as pending has been shown to be patentably distinct from the cited references, either alone or in combination. As claims 35 and 36 depend from and further defines claim 33 they are also considered to be in condition for allowance. Accordingly, Applicant respectfully requests reconsideration and withdrawal of the rejection under 35 U.S.C. § 103(a) and allowance of claims 35 and 36.

CONCLUSION

In view of the above remarks, Applicant believes that all pending claims are in condition for allowance and respectfully requests a Notice of Allowance be issued in this case. Please charge any further fees deemed necessary or credit any overpayment to Deposit Account No. 501373.

If the Examiner has any questions or concerns regarding this application, please contact the undersigned at (612) 312-2207.

Respectfully submitted,

Date: 10/13/06



Andrew C. Walseth
Reg. No. 43,234

Attorneys for Applicant
Leffert Jay & Polglaze
P.O. Box 581009
Minneapolis, MN 55458-1009
T 612 312-2200
F 612 312-2250